



P16-18. Regulatory T Cell Frequencies Correlate With T Cell Activation in Chronic HIV-1 Infection

Citation

Angin, M, H Streeck, F Wen, A Pyo, A Trocha, I Toth, D Kwon, and et al. 2009. P16-18. Regulatory T cell frequencies correlate with T cell activation in chronic HIV-1 infection. *Retrovirology* 6(Suppl 3): P247.

Published Version

doi://10.1186/1742-4690-6-S3-P247

Permanent link

<http://nrs.harvard.edu/urn-3:HUL.InstRepos:5978737>

Terms of Use

This article was downloaded from Harvard University's DASH repository, and is made available under the terms and conditions applicable to Other Posted Material, as set forth at <http://nrs.harvard.edu/urn-3:HUL.InstRepos:dash.current.terms-of-use#LAA>

Share Your Story

The Harvard community has made this article openly available.
Please share how this access benefits you. [Submit a story](#).

[Accessibility](#)

Poster presentation

P16-18. Regulatory T cell frequencies correlate with T cell activation in chronic HIV-1 infection

M Angin*, H Streeck, F Wen, A Pyo, A Trocha, I Toth, D Kwon, F Pereyra, G Alter, M Altfeld, BD Walker and MM Addo

Address: Ragon Institute of MGH, MIT and Harvard, Boston, MA, USA

* Corresponding author

from AIDS Vaccine 2009
Paris, France. 19–22 October 2009

Published: 22 October 2009

Retrovirology 2009, **6**(Suppl 3):P247 doi:10.1186/1742-4690-6-S3-P247

This abstract is available from: <http://www.retrovirology.com/content/6/S3/P247>

© 2009 Angin et al; licensee BioMed Central Ltd.

Background

Regulatory T cells (Tregs) are potent modulators of immunity and may have an impact on T cell regulation and activation in the setting of HIV-1 infection. However, studies on Tregs in HIV-1 infection have shown divergent results and the exact role of Tregs in HIV-1 infection remains poorly understood. We here investigated Treg frequencies, immune activation and HIV-1 specific immunity in elite controllers (EC) and chronic progressors.

Methods

We studied the frequency of CD4⁺CD25⁺FoxP3⁺ Tregs in 16 HIV-1 elite controllers (HIV-RNA <50 copies/ml), 17 individuals with untreated chronic progressive HIV-1 infection and 9 HIV negative individuals by flowcytometric analysis. We also evaluated T cell activation by measurement of CD38 and HLA-DR expression on CD8 and CD4 T lymphocytes. HIV-1 specific CD8 T cell responses were available for a subset of individuals.

Results

In concordance with previous data, EC had significantly lower immune activation than chronic progressors ($p < 0.005$). The frequency of CD4⁺CD25⁺FoxP3⁺ regulatory T cells was positively correlated with T cell activation as measured by frequency of CD8⁺CD38⁺ T cells (R^2 0.42, $P = 0.006$). There was a strong trend to decreased Treg frequencies in elite controllers and HIV negative individuals compared to chronic progressors. In the elite controller subset HLA-B57 positive EC had lower Treg frequencies

than non-HLA-B57 EC, but this trend did not reach statistical significance.

Conclusion

Our data suggest that Treg frequencies positively correlate with immune activation in this cohort of individuals with chronic HIV-1 infection and that elite control is associated with lower T cell activation as previously described. Treg frequencies may be lower in HIV-1 elite controllers compared to chronic progressors but further studies are needed to investigate this finding in more detail and to address the impact of Tregs on HIV-1 specific T cell responses.